


Sherp N




Overall dimensions

3984 mm (156 in)

2520 mm (99.2 in)

length



width



height

2846 mm (112 in)

wheel base

2200 mm (86 in)

Max. Speed



grounds

40 km/h (25 mph)

grass, gravel, sand, peat, moor, marsh, sand, dunes, rocks, scree, snow, ice, climbing from water to ice



water

6 km/h (3.7 mph)

ponds, lakes, rivers, sandbanks, shores, coasts, frozen waters ...

Fuel autonomy



DIESEL

75-307 L (20-81 gal)


from 5 lph (1.3 gph)

Fuel tank volume of **75 L (20 gal)** plus 4 fuel canisters **58 L (15.3 gal)** of each canister) gives you possibility to drive more than **61 hours** of autonomy and **14 hr non-stop running** just with main fuel tank

Sherp N

Sherp Hard Top

1000 kg (2200 lb)



**The driver
+ up to
9 passengers**

2350 kg (5180 lb)

Sherp Pickup

1200 kg (2645 lb)



2150 kg (4740 lb)

loading capacity

dry weight

Base model includes

- ✓ Cabin and passenger module ROPS
- ✓ Backup battery
- ✓ Rear view camera
- ✓ LED hi-beam and low-beam
- ✓ Towing hitch integrated in front and rear bumpers
- ✓ Integrated front and rear footboards
- ✓ Emergency parking brake
- ✓ 3-point seatbelts for driver and passenger
- ✓ Storage boxes and cup holders
- ✓ Under floor storage boxes
- ✓ Additional fuel tanks in rims
- ✓ Webasto autonomous heater

Additional options available to order

+ A/C	6000 USD
+ Rear seats (2 or 4) with seatbelts	800/1600 USD
+ Rear benches set for 8 passengers	800 USD
+ 360 surround view camera system	2700 USD
+ Winch set	1950 USD
+ Additional LED lights (Rear, Side)	800 USD
+ Front LED roof light bar	600 USD

Base model includes

- ✓ Cabin ROPS
- ✓ Backup battery
- ✓ Rear view camera
- ✓ LED hi-beam and low-beam
- ✓ Towing hitch integrated in front and rear bumpers
- ✓ Integrated front and rear footboards
- ✓ Emergency parking brake
- ✓ 3-point seatbelts for driver and passenger
- ✓ Storage boxes and cup holders
- ✓ Under floor storage boxes
- ✓ Additional fuel tanks in rims
- ✓ Webasto autonomous heater



Additional options available to order

+ A/C	6000 USD
+ 360 surround view camera system	2700 USD
+ Winch set	1950 USD
+ Additional LED lights (Rear, Side)	800 USD
+ Front LED roof light bar	600 USD

Sherp N

Specification and technical characteristics

Body type	removable hardtop
Body material	Steel (frame and bottom, hot dripped galvanized) and aluminium (cabin)
Steering	Skid steering
Tire size	1800x600x25 (720x23x25in)
Type of tyres	Tubeless, extra-low pressure
Suspension	Pneumatic circulating
Maximum speed (at the top-gear)	40 km/h (25 Mph)
Minimum speed (at the low-gear)	2 km/h (1,2 Mph)
Engine model	Doosan D18
Fuel type	diesel
Emission control	Stage 5 / Tier-4-final
Engine DOC (Diesel Oxidation Catalyst)	maintenance free
Fuel consumption	from 5 l/h (1,3 gal/h)
Engine displacement	1.8 L (61 cubic inches)
Cylinder count	3
Max engine power	55 hp / 41 kWt
Max engine torque	190 H/M (133 ft/lb)
Generator Performance	140 A
Fuel tank volume	75 L (20 gal)
Capacity of additional fuel canisters	4 x 58 L (15 gal)
Gearbox	6 gear, mechanical
Towing capacity	2200 kg (4850 lbs)
Cabin internal volume	2 m ³ (70 cu ft)
Rear space internal volume (Hard Top)	5,8 m ³ (205 cu ft)
Overall internal volume (Hard Top)	7,8 m ³ (250 cu ft)
Maintenance interval	50 hours
Parking brake system	Yes, mechanical handbrake



Price

MSRP USA: **126 000 USD** (Delivery included)

New Sherp Advantages

1

+ Load capacity increased by 20%

2

+ Up to 6 seats with 3-point seatbelts. And up to 10 with benches and 2-point seatbelts

3

+ Internal volume of New Sherp increased by 50%

4

+ Internal volume of Cabin increased by 30%

5

+ Advanced interior ergonomics

Driver seat is much more comfortable even for people with large stature. Controls, such as levers of the rotation mechanism and various devices and buttons are located in more convenient and accessible places.

6

+ More powerful engine 55 hp compared to 44 hp

7

+ More eco friendly engine, meets Stage 5 / Tier-4-final emission standards

8

+ Increased wheelbase, allows to move with great comfort on difficult terrain

9

+ Larger tires - 1800 mm high, which gives more passability

10

+ Chains located in closed oil baths - no need to service and lubricate

11

+ Warranty period is 2000 m/h or 1 year (whichever comes first)

12

+ Engine warranty period is 3 years or 3000 m/h (whichever comes first)